



Sophy Shu-Jiun CHEN, Lu-Yen LU
Academia Sinica Center for Digital Cultures, Taiwan (R.O.C.)

Content

- Research Plan on the "Wooden Slips Character Dictionary" (WCD) and functions to support DH research
- LOD-based Data Model Design in WCD
- Application of IIIF APIs on WCD and IIIF-based Union Catalog of WCD
- Integration of IIIF Manifest Data with LOD-based Resources
- Closing Remarks



Research Plan on the "Wooden Slips Character Dictionary" (WCD) and functions to support DH research



WCD Research Plan

- Initiated by the Institute of History and Philology, Academia Sinica and ASCDC from 2019.
- Focus: Establishing image-based digital humanity platform, a retrieval system to research, which is structured by IIIF standards and linked data, to study the Chinese ancient wooden slips and characters written on them.
- Digitized objects in WCD: More than 10,000 Wooden Slips excavated in 1930 in Kansu Province, China (甘肅省).
- The written characters are living cultural evidence on the military and legal systems, educational practices, economy, beliefs, and everyday life of military personnel and civilians in the Han dynasty (206 BC-AD 220).



Wooden Slips Item H01637

Structural and Contextual Views on the WCD System

- IIIF-based system of linked data structured database.
- Content: 848 Objects of Wooden Slips, 1,046 IIIF-based images, 21,265 data entries on annotated characters
- Core functions in WCD platform:
 - * Metadata Search by object and by character
 - * Image Research on objects and characters
 - * Image annotation by classified categories
 - * Cross-database query for Chinese characters



WCD Website: https://wcd-ihp.ascdc.sinica.edu.tw/woodslip/index.php

WCD: Information Retrieval



Object-based retrieval

Character-based retrieval

WCD: Image Research



 The IIIF-based image viewer can make comparisons of the characters' writing style and identify the possible common handwriting between related characters


WCD: Image Annotation

- Images of objects and characters can be annotated under different motivations and sub-types as an extension to IIIF APIs.
- The method of classified annotation in different sub-categories makes the annotated text more reusable for scholars' needs by saving object data or interpreting the form and meaning of the characters.
- The annotated information will be saved in IIIF manifest and could be reusable, exchangeable as linked data.
- Images can be researched by crowdsourcing.



The character "Jia" (甲) can be annotated under different motivations such as tagging, describing, commenting, or classifying (Item H04737)

WCD: Image Annotation



LOD-based Data Model Design in WCD



WCD Data Model

- CIDOC-CRM based WCD-data model:
 Describing information on the cultural object of the Chinese wooden slips.
- Core structures in WCD data model:
 - * 23 classes in object-based and event-based model (CIDOC-CRM)
 - * 47 properties from 9 semantic vocabularies (ascdc, bmo, CIDOC-CRM, dcterms, owl, rdf, rdfs, schema, skos)
 - * 3 external resources (AAT, TGN, VIAF) reused for data enrichment



Classes [23]


crm:E4_Period , crm:E7_Activity, crm:E8_Acquisition, crm:E12_Production, crm:E14_Condiciton_Assessment, crm:E22_Man-Made_Object, crm:E31_Document, crm:E33_Linguistic_Object, crm:E34_Inscription, crm:E35_Title, crm:E38_Image, crm:E39_Actor, crm:E42_Identifier, crm:E52_Time-Span, crm:E53_Place, crm:E54_Dimension, crm:E55_Type, crm:E57_Material, crm:E58_Measurement_Unit, crm:E60_Number, crm:E62_String, crm:E73_Information_Object, crm:E79_Part_Addition

Properties [47]

ascdc:type, bmo:PX inscription position, crm:P1 is identified by, crm:P2 has type, crm:P3 has note, crm:P4 has time-span, crm:P7 took place at, crm:P10 falls within, crm:P14 carried out by, crm:P24i changed ownership through, crm:P32 use general technique, crm:P33 use specific technique, crm:P34i was assessed by, crm:P43 has dimension, crm:P45 consists of, crm:P48 has preferred identifier, crm:P50 has current keeper, crm:P52_has_current_owner, crm:P65_shows_visual_item, crm:P67_refers_to, crm:P70i is documented in, crm:P90 has value, crm:P91 has unit, crm:P102 has title, crm:P108i was produced by, crm:P111i was added by, crm:P115 finishes, crm:P116 starts, crm:P127 has broader term, crm:P128_carries, crm:P129i_is_subject_of, crm:P134i_was_continued_by, crm:P137 exemplifies, crm:P139 has alternative form, dcterms:identifier, dcterms:isPartOf, dcterms:type, owl:sameAs, rdf:type, rdfs:label, rdfs:seeAlso, schema:endDate, schema:identtfier, schema:startDate, skos:altLabel, skos:broadMatch, skos:related


11

WCD Data Model



LOD Dataset of WCD

- Based on CIDOC-CRM, metadata of 207 slips are converted into an LOD dataset with 15,346 triples. Released in Datahub.
- The concerted data contain information on the title, item number, registration number, excavation site, provenance, Creation data, Dynasty, Type, decoration, material, dimensions of work, references, related item, collection, and image information of a slip.





Application of IIIF APIs on WCD and IIIFbased Union Catalog of WCD




Application of IIIF APIs on the WCD Platform

 Image presentation in the WCD database functions based on the IIIF standard, especially in application of the IIIF Presentation API, IIIF Image API and IIIF Content Search API.

	API type	Purpose of application	Application
1	IIIF Presentation API	Present an image or series of images in IIIF viewer by its correct image sequence, structure and layout based on the linked data and web page structure principles.	Image presentation, Image sharing, Structured retrieval system of WCD
2	IIIF Image API	Formulate an image's URI design, parameter specification, and attribution for data management to achieve static image retrieval and delivery.	Image zooming, Image comparison, Viewing form definition
3	IIIF Content Search API	Provides a content retrieval service mechanism to retrieve the annotation information embedded in the IIIF manifest JSON-LD file or information structured in the IIIF presentation API.	Character retrievals, Structured image annotation

IIIF-based Union Catalog of WCD



- Images of WCD characters are further interoperable and retrievable in the "Union Catalog" for searching historical Chinese Characters in cooperation with international research communities, such as the Nara National Research Institute for Cultural Properties, Historiographical Institute of the University of Tokyo, National Institute of Japanese Literature, National Institute for Japanese Language and Linguistics, and Institute for Research in Humanities at Kyoto University in Japan.
- Functions of WCD's Union Catalog
 - * Character retrieval across institutes
 - * Redirection to original database
 - * Access to the IIIF Manifest structure of retrieved characters
 - * Presentation of retrieved characters in Mirador viewer
- System functions based on IIIF APIs and customized API for sharing of the search results

WCD Union Catalog: https://wcd-ihp.ascdc.sinica.edu.tw/union/

Design of Interoperable API for Character Retrievals

- In cooperation with 6 research institutes in Japan, an API for sharing query results was developed to enable query of a single character across different institute databases and enhance data interoperability.
- API is structured based on JSON format.
- 15 elements are regulated in the WCD-Union query API: status code, search results, list, identifier, id, title, delegate, unicode, source, thumbnail url, manifest url, subject, creator, rights, rights url.


```
status_code: "200",
     search results: "32",
        (4) identifer: "http://wcd-ihp.ascdc.sinica.edu.tw/api/GET/anno/mysgl/body_55_215",
        (5) id: "H00185",
        6) title: "庸".
         7 delegate: "1".
        (8) unicode: "5ee3".
              general_name: "居延漢簡".
              site: "A27 查科爾帖".
              time_Chinese: "東漢",
              time CE: "25 ~ 220",
              material: "木"
           thumbnail url: "https://wcd-ihp.ascdc.sinica.edu.tw/parser/IIIF/H00185BIWA-6/9318,393,77,94/full/0/default.jpg",
           manifest_url: "https://wcd-ihp.ascdc.sinica.edu.tw/api/GET/55/manifest",
       12) subject: "簡牘字典一史語所藏居延漢簡資料庫",
           creator: "中央研究院歷史語言研究所 | 中央研究院數位文化中心",
       15)rights_url: "https://wcd-ihp.ascdc.sinica.edu.tw/woodslip/terms.html"
查詢結果:65筆
```

Integration of IIIF Manifest Data with LOD-based Resources



Heterogeneous Data Linkage between LOD and IIF

Using a linking property such as seeAlso regulated in IIIF Presentation API to link the LOD-based descriptive metadata of an object or a Chinese character with its image data embedded in the IIIF manifest and further enhance data distribution and reusability of WCD's LOD



Data Linkage between LOD and IIIF: An Example







Closing Remarks



Closing Remarks

- LOD is not only an effective method to make results of DH study more reusable, accessible, and enhance information retrieval across different datasets or institutes. Based on its essence as linked data, LOD can also integrate into other heterogeneous data structures or platforms such as IIIF.
- By using semantic properties, the LOD-based metadata can be connected with the data structure of the IIIF manifest. Thus, a model to support DH studies, both on their descriptive component and image component, is possible.



Wooden Slips Item H00052

